

## Appendix C

### IEEE-30 Bus System Data

#### C.1 BUS LOAD AND INJECTION DATA OF THE IEEE 30-BUS SYSTEM

*Table C.1* Bus Load and Injection Data of IEEE 30-Bus System

Bus	Load (MW)	Bus	Load (MW)
1	0.0	16	3.5
2	21.7	17	9.0
3	2.4	18	3.2
4	67.6	19	9.5
5	34.2	20	2.2
6	0.0	21	17.5
7	22.8	22	0.0
8	30.0	23	3.2
9	0.0	24	8.7
10	5.8	25	0.0
11	0.0	26	3.5
12	11.2	27	0.0
13	0.0	28	0.0
14	6.2	29	2.4
15	8.2	30	10.6

## C.2 REACTIVE POWER LIMITS OF THE IEEE 30-BUS SYSTEM

Table C.2 Reactive power limit of IEEE 30-Bus System

Bus	Qmin (p.u.)	Qmax (p.u.)	Bus	Qmin (p.u.)	Qmax (p.u.)
1	-0.2	0.0	16		
2	-0.2	0.2	17	-0.05	0.05
3			18	0.0	0.055
4			19		
5	-0.15	0.15	20		
6			21		
7			22		
8	-0.15	0.15	23	-0.05	0.055
9			24		
10			25		
11	-0.1	0.1	26		
12			27	-0.055	0.055
13	-0.15	0.15	28		
14			29		
15			30		

### C.3 LINE PARAMETERS OF THE IEEE 30-BUS SYSTEM

Table C3 Line Parameter of 30-Bus System

Line	From Bus	To Bus	$R$ (p.u.)	$X$ (p.u.)	Tap Ratio	Rating (p.u.)
1	1	2	0.0192	0.0575		0.300
2	1	3	0.0452	0.1852	0.9610	0.300
3	2	4	0.0570	0.1737	0.9560	0.300
4	3	4	0.0132	0.0379		0.300
5	2	5	0.0472	0.1983		0.300
6	2	6	0.0581	0.1763		0.300
7	4	6	0.0119	0.0414		0.300
8	5	7	0.0460	0.1160		0.300
9	6	7	0.0267	0.0820		0.300
10	6	8	0.0120	0.0420		0.300
11	6	9	0.0000	0.2080		0.300
12	6	10	0.0000	0.5560		0.300
13	9	11	0.0000	0.2080		0.300
14	9	10	0.0000	0.1100	0.9700	0.300
15	4	12	0.0000	0.2560	0.9650	0.650
16	12	13	0.0000	0.1400	0.9635	0.650
17	12	14	0.1231	0.2559		0.320
18	12	15	0.0662	0.1304		0.320
19	12	16	0.0945	0.1987		0.320
20	14	15	0.2210	0.1997		0.160
21	16	17	0.0824	0.1932		0.160
22	15	18	0.1070	0.2185		0.160
23	18	19	0.0639	0.1292	0.9590	0.160
24	19	20	0.0340	0.0680		0.320
25	10	20	0.0936	0.2090		0.320
26	10	17	0.0324	0.0845	0.9850	0.320
27	10	21	0.0348	0.0749		0.300
28	10	22	0.0727	0.1499		0.300
29	21	22	0.0116	0.0236		0.300
30	15	23	0.1000	0.2020		0.160
31	22	24	0.1150	0.1790		0.300
32	23	24	0.1320	0.2700	0.9655	0.160
33	24	25	0.1885	0.3292		0.300
34	25	26	0.2544	0.3800		0.300
35	25	27	0.1093	0.2087		0.300
36	28	27	0.0000	0.3960		0.300
37	27	29	0.2198	0.4153	0.9810	0.300
38	27	30	0.3202	0.6027		0.300
39	29	30	0.2399	0.4533		0.300
40	8	28	0.0636	0.2000	0.9530	0.300
41	6	28	0.0169	0.0599		0.300